

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2492	((@ad<"20011205" or @rlad<"20011205") and ((outdoor or outside or external) with analog) and ((indoor or inside or internal) with digital)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:11
L2	65	((@ad<"20011205" or @rlad<"20011205") and ((outdoor or outside or external) with analog with wireless) and ((indoor or inside or internal) with digital)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:12
L3	4	((@ad<"20011205" or @rlad<"20011205") and ((outdoor or outside or external) with OFDM) and ((indoor or inside or internal) with digital)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:15
L4	0	((@ad<"20011205" or @rlad<"20011205") and ((outdoor or outside or external) with "all" with (analog or RF) with process \$3)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:20
L5	14	((@ad<"20011205" or @rlad<"20011205") and ((outdoor or outside or external) with (all or complete or total) with (analog or RF) with process \$3)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:21
L6	412	((@ad<"20011205" or @rlad<"20011205") and ((outdoor or outside or external) with (system or unit or device)) with digital with link	US-PGPUB; USPAT	OR	ON	2008/06/24 11:22
L7	56	((@ad<"20011205" or @rlad<"20011205") and ((outdoor or outside or external) with (system or unit or device)) with digital near2 link	US-PGPUB; USPAT	OR	ON	2008/06/24 11:22

L10	348	(@ad<"20011205" or @rlad<"20011205") and (digital adj subsystem)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:37
L11	246	(@ad<"20011205" or @rlad<"20011205") and (digital adj subsystem) and (outdoor or outside or external)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:37
L12	211	(@ad<"20011205" or @rlad<"20011205") and (digital adj subsystem) and (indoor or inside or internal)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:37
L13	113	(@ad<"20011205" or @rlad<"20011205") and (digital adj subsystem) and (indoor or inside)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:37
L14	3	(@ad<"20011205" or @rlad<"20011205") and (digital adj subsystem) same (indoor or inside)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:37
L15	113	(@ad<"20011205" or @rlad<"20011205") and (digital adj system) same (indoor or inside)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:39
L16	32	(@ad<"20011205" or @rlad<"20011205") and (digital adj system) same (indoor or inside) and (wireless)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:39
L17	0	(@ad<"20011205" or @rlad<"20011205") and (digital adj system) same (indoor or inside) and (wireless adj system)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:39
L18	0	(@ad<"20011205" or @rlad<"20011205") and (digital adj system) same (indoor or inside) and (wireless with (outdoor or outside))	US-PGPUB; USPAT	OR	ON	2008/06/24 11:40
L19	58	(@ad<"20011205" or @rlad<"20011205") and (digital adj system) same (indoor or inside) and ((outdoor or outside))	US-PGPUB; USPAT	OR	ON	2008/06/24 11:40
L20	15	(@ad<"20011205" or @rlad<"20011205") and (digital adj system) same (indoor or inside) and ((outdoor or outside)) and wireless	US-PGPUB; USPAT	OR	ON	2008/06/24 11:40

L21	1957	(@ad<"20011205" or @rlad<"20011205") and (wireless adj local adj loop)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:41
L22	34	(@ad<"20011205" or @rlad<"20011205") and (wireless adj local adj loop) and (analog adj (system or subsystem))	US-PGPUB; USPAT	OR	ON	2008/06/24 11:42
L23	116	(@ad<"20011205" or @rlad<"20011205") and (wireless adj local adj loop) and (digital adj (system or subsystem))	US-PGPUB; USPAT	OR	ON	2008/06/24 11:42
L24	0	(@ad<"20011205" or @rlad<"20011205") and (wireless adj local adj loop) and (digital adj (system or subsystem)) and (digital adj link)	US-PGPUB; USPAT	OR	ON	2008/06/24 11:42
L25	116	(@ad<"20011205" or @rlad<"20011205") and (wireless adj local adj loop) and (digital adj (system or subsystem))	US-PGPUB; USPAT	OR	ON	2008/06/24 11:42
L26	16	(@ad<"20011205" or @rlad<"20011205") and (wireless adj local adj loop) and (digital adj (link))	US-PGPUB; USPAT	OR	ON	2008/06/24 11:43
L27	4	(@ad<"20011205" or @rlad<"20011205") and (outdoor adj unit) and (digital adj (link))	US-PGPUB; USPAT	OR	ON	2008/06/24 11:55
L28	11	(@ad<"20011205" or @rlad<"20011205") and (antenna adj unit) and (digital adj (link))	US-PGPUB; USPAT	OR	ON	2008/06/24 11:57
L29	67	(@ad<"20011205" or @rlad<"20011205") and (antenna adj (system or subsystem)) and (digital adj (link))	US-PGPUB; USPAT	OR	ON	2008/06/24 11:59
L30	1113	(@ad<"20011205" or @rlad<"20011205") and (antenna) and ((indoor or inside) adj (unit or device or subsystem))	US-PGPUB; USPAT	OR	ON	2008/06/24 12:00

L31	6	(@ad<"20011205" or @rlad<"20011205") and (antenna) and ((indoor or inside) adj (unit or device or subsystem)) and digital adj link	US-PGPUB; USPAT	OR	ON	2008/06/24 12:01
L32	9	(@ad<"20011205" or @rlad<"20011205") and (antenna) and ((indoor or inside) adj (unit or device or subsystem)) and (digital adj (link or connection))	US-PGPUB; USPAT	OR	ON	2008/06/24 12:01
L33	33	(@ad<"20011205" or @rlad<"20011205") and (antenna) and ((indoor or inside) adj (unit or device or subsystem)) and (digital adj (interface))	US-PGPUB; USPAT	OR	ON	2008/06/24 12:12
S1	41	(@ad<"20011205" or @rlad<"20011205") and (base adj station) with (fiber adj optic adj link)	US-PGPUB; USPAT	OR	ON	2008/01/07 08:27
S2	1	"20020155811"	US-PGPUB; USPAT	OR	ON	2006/05/31 09:11
S3	4	(@ad<"20011205" or @rlad<"20011205") and (base adj station) and (fiber adj optic adj link) with central adj office	US-PGPUB; USPAT	OR	ON	2006/05/31 09:31
S4	0	(@ad<"20011205" or @rlad<"20011205") and (access adj point) with (fiber adj optic adj link)	US-PGPUB; USPAT	OR	ON	2006/05/31 09:32
S5	160	(@ad<"20011205" or @rlad<"20011205") and (base adj station) with (controller) with fiber	US-PGPUB; USPAT	OR	ON	2006/05/31 09:36
S6	15	(@ad<"20011205" or @rlad<"20011205") and (base adj station) with (controller) with fiber with internet	US-PGPUB; USPAT	OR	ON	2006/05/31 10:05
S7	11	(@ad<"20011205" or @rlad<"20011205") and (RNC with T1)	US-PGPUB; USPAT	OR	ON	2007/02/08 12:11
S8	0	(@ad<"20011205" or @rlad<"20011205") and (RNC with T1) and (RNC with SONET)	US-PGPUB; USPAT	OR	ON	2007/07/23 13:57

S9	11	(@ad<"20011205" or @rlad<"20011205") and (RNC with T1)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:07
S10	35	(@ad<"20011205" or @rlad<"20011205") and (RNC with ISDN)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:10
S11	6	(@ad<"20011205" or @rlad<"20011205") and (RNC with Ethernet)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:13
S12	0	(@ad<"20011205" or @rlad<"20011205") and (RNC with SONET)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:13
S13	38	(@ad<"20011205" or @rlad<"20011205") and (backhaul with SONET)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:14
S14	24	(@ad<"20011205" or @rlad<"20011205") and (backhaul with SONET) and (base adj station)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:18
S15	0	(@ad<"20011205" or @rlad<"20011205") and (RNC with indoor)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:18
S16	21	(@ad<"20011205" or @rlad<"20011205") and (RNC with inside)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:18
S17	126	(@ad<"20011205" or @rlad<"20011205") and (indoors) and (base adj station) with outside	US-PGPUB; USPAT	OR	ON	2006/05/31 10:23
S18	5	(@ad<"20011205" or @rlad<"20011205") and (indoors with controller) and (base adj station) with outside	US-PGPUB; USPAT	OR	ON	2006/05/31 10:25
S19	0	(@ad<"20011205" or @rlad<"20011205") and (RNC with OFDM with modem)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:26
S20	0	(@ad<"20011205" or @rlad<"20011205") and (RNC with OFDM)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:26
S21	9	(@ad<"20011205" or @rlad<"20011205") and (RNC with modem)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:26
S22	77	(@ad<"20011205" or @rlad<"20011205") and (OFDM adj modem)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:26

S23	0	(@ad<"20011205" or @rlad<"20011205") and (OFDM adj modem) with digital adj multiplexer	US-PGPUB; USPAT	OR	ON	2006/05/31 10:26
S24	0	(@ad<"20011205" or @rlad<"20011205") and (OFDM adj modem) with multiplexer	US-PGPUB; USPAT	OR	ON	2006/05/31 10:26
S25	0	(@ad<"20011205" or @rlad<"20011205") and (OFDM adj modem) with muux	US-PGPUB; USPAT	OR	ON	2006/05/31 10:26
S26	0	(@ad<"20011205" or @rlad<"20011205") and (OFDM adj modem) with mux	US-PGPUB; USPAT	OR	ON	2006/05/31 10:27
S27	36	(@ad<"20011205" or @rlad<"20011205") and (OFDM adj modem) same multiplexer	US-PGPUB; USPAT	OR	ON	2006/05/31 10:27
S28	36	(@ad<"20011205" or @rlad<"20011205") and (OFDM adj modem) same multiplexer and wireless	US-PGPUB; USPAT	OR	ON	2006/05/31 10:27
S29	36	(@ad<"20011205" or @rlad<"20011205") and (OFDM adj modem) same multiplexer	US-PGPUB; USPAT	OR	ON	2006/05/31 10:35
S30	0	(@ad<"20011205" or @rlad<"20011205") and (SONET) and (training adj sequence adj bits)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:36
S31	29	(@ad<"20011205" or @rlad<"20011205") and (SONET) and (training adj sequence)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:36
S32	24	(@ad<"20011205" or @rlad<"20011205") and (SONET) and (training adj sequence) and (timing)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:37
S33	0	(@ad<"20011205" or @rlad<"20011205") and (SONET) and (training adj sequence) and (timing) and (resilient adj packet adj ring adj access)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:37
S34	0	(@ad<"20011205" or @rlad<"20011205") and (resilient adj packet adj ring adj access)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:37

S35	33	(@ad<"20011205" or @rlad<"20011205") and (resilient adj packet adj ring)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:46
S36	0	(@ad<"20011205" or @rlad<"20011205") and (SONET) and (training adj sequence) and (timing) and (resilient adj packet adj ring)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:37
S37	4	(@ad<"20011205" or @rlad<"20011205") and (SONET) and (training with overhead)	US-PGPUB; USPAT	OR	ON	2006/05/31 10:37
S38	271	(@ad<"20011205" or @rlad<"20011205") and (subscriber with (indoor or inside) with (outdoor or outside))	US-PGPUB; USPAT	OR	ON	2006/11/13 10:11
S39	8	(@ad<"20011205" or @rlad<"20011205") and (subscriber with (indoor or inside) with (outdoor or outside)) and (last adj mile)	US-PGPUB; USPAT	OR	ON	2006/11/13 10:11
S40	0	(@ad<"20011205" or @rlad<"20011205") and (base adj station) with all with analog with processing	US-PGPUB; USPAT	OR	ON	2007/02/08 12:12
S41	0	(@ad<"20011205" or @rlad<"20011205") and (base adj station) with all with radio with processing	US-PGPUB; USPAT	OR	ON	2007/02/08 12:12
S42	0	(@ad<"20011205" or @rlad<"20011205") and (sperate with digital with (analog or radio) with processing)	US-PGPUB; USPAT	OR	ON	2007/02/08 12:12
S43	519	(@ad<"20011205" or @rlad<"20011205") and (separate with digital with (analog or radio) with processing)	US-PGPUB; USPAT	OR	ON	2007/02/08 12:13
S44	60	(@ad<"20011205" or @rlad<"20011205") and (separate with digital near2 (analog or radio) near2 processing)	US-PGPUB; USPAT	OR	ON	2007/02/08 12:13

S45	4	(@ad<"20011205" or @rlad<"20011205") and (separate with digital near2 (analog or radio) near2 processing) and (base adj station)	US-PGPUB; USPAT	OR	ON	2007/02/08 12:15
S46	0	(@ad<"20011205" or @rlad<"20011205") and (separate with digital near2 (analog or radio) near2 processing) and (base adj station) and (RNC)	US-PGPUB; USPAT	OR	ON	2007/02/08 12:13
S47	1	(@ad<"20011205" or @rlad<"20011205") and (separate with digital near2 (analog or radio) near2 processing) and (base adj station) and (controller)	US-PGPUB; USPAT	OR	ON	2007/02/08 12:13
S48	41715	(@ad<"20011205" or @rlad<"20011205") and ((analog or radio) with process\$3 with (unit or system or subsystem))	US-PGPUB; USPAT	OR	ON	2007/02/08 12:16
S49	28417	(@ad<"20011205" or @rlad<"20011205") and ((analog or radio) with process\$3 with (unit or system or subsystem)) and (digital with process\$3 with (unit or system or subsystem))	US-PGPUB; USPAT	OR	ON	2007/02/08 12:16
S50	2067	(@ad<"20011205" or @rlad<"20011205") and ((analog or radio) near2 process\$3 near2 (unit or system or subsystem)) and (digital with process\$3 with (unit or system or subsystem))	US-PGPUB; USPAT	OR	ON	2007/02/08 12:17
S51	784	(@ad<"20011205" or @rlad<"20011205") and ((analog or radio) near2 process\$3 near2 (unit or system or subsystem)) and (digital near2 process\$3 near2 (unit or system or subsystem))	US-PGPUB; USPAT	OR	ON	2007/02/08 12:17

S52	50	(@ad<"20011205" or @rlad<"20011205") and ((analog or radio) near2 process\$3 near2 (unit or system or subsystem)) and (digital near2 process\$3 near2 (unit or system or subsystem)) and base adj station	US-PGPUB; USPAT	OR	ON	2007/02/08 12:20
S53	9	(@ad<"20011205" or @rlad<"20011205") and ((analog or radio) near2 process\$3 near2 (unit or system or subsystem)) and (digital near2 process\$3 near2 (unit or system or subsystem)) and base adj station with controller	US-PGPUB; USPAT	OR	ON	2007/02/08 12:23
S54	129	(@ad<"20011205" or @rlad<"20011205") and (base adj station with base adj station adj controller with digital with link)	US-PGPUB; USPAT	OR	ON	2007/02/08 13:43
S55	84	(@ad<"20011205" or @rlad<"20011205") and (base adj station with (all or total\$3 or complete\$3) with (analog or radio) with (process\$3))	US-PGPUB; USPAT	OR	ON	2007/02/08 13:40
S56	2	(@ad<"20011205" or @rlad<"20011205") and (base adj station with (all or total\$3 or complete\$3) near2 (analog or radio) near2 (process\$3))	US-PGPUB; USPAT	OR	ON	2007/02/08 13:39
S57	4	(@ad<"20011205" or @rlad<"20011205") and (base adj station with (all or total\$3 or complete\$3) with (analog) with (process\$3))	US-PGPUB; USPAT	OR	ON	2007/02/08 13:40
S58	174	(@ad<"20011205" or @rlad<"20011205") and (base adj station with frequency adj convert\$3)	US-PGPUB; USPAT	OR	ON	2007/02/08 13:44
S59	57	(@ad<"20011205" or @rlad<"20011205") and (base adj station with frequency adj convert\$3 with amplif\$)	US-PGPUB; USPAT	OR	ON	2007/02/08 13:44

S60	4	(@ad<"20011205" or @rlad<"20011205") and (base adj station with frequency adj convert\$3 with amplif\$) and (base adj station adj controller)	US-PGPUB; USPAT	OR	ON	2007/02/08 13:46
S61	57	(@ad<"20011205" or @rlad<"20011205") and (base adj station with frequency adj convert\$3 with amplif\$)	US-PGPUB; USPAT	OR	ON	2007/02/08 13:46
S62	11	(@ad<"20011205" or @rlad<"20011205") and (analog with outdoor with unit)	US-PGPUB; USPAT	OR	ON	2007/07/23 13:59
S63	2	(@ad<"20011205" or @rlad<"20011205") and (analog near outdoor)	US-PGPUB; USPAT	OR	ON	2007/07/23 13:59
S64	30	(@ad<"20011205" or @rlad<"20011205") and (analog with outdoor) and (digital with indoor)	US-PGPUB; USPAT	OR	ON	2007/07/23 14:00
S65	239	(@ad<"20011205" or @rlad<"20011205") and (analog with (outdoor or outside)) and (digital with (indoor or inside))	US-PGPUB; USPAT	OR	ON	2007/07/23 14:00
S66	43	(@ad<"20011205" or @rlad<"20011205") and (analog with (outdoor or outside)) and (digital near2 (indoor or inside))	US-PGPUB; USPAT	OR	ON	2007/07/23 14:00
S67	7	(@ad<"20011205" or @rlad<"20011205") and (analog near2 (outdoor or outside)) and (digital near2 (indoor or inside))	US-PGPUB; USPAT	OR	ON	2007/07/23 14:02
S68	1233	(@ad<"20011205" or @rlad<"20011205") and (indoor adj unit)	US-PGPUB; USPAT	OR	ON	2007/07/23 14:02
S69	916	(@ad<"20011205" or @rlad<"20011205") and (indoor adj unit) and (outdoor adj unit)	US-PGPUB; USPAT	OR	ON	2007/07/23 14:02
S70	1467	(@ad<"20011205" or @rlad<"20011205") and ((indoor or inside) adj unit) and ((outdoor or outside) adj unit)	US-PGPUB; USPAT	OR	ON	2007/07/23 14:02

S71	1026	((@ad<"20011205" or @rlad<"20011205") and ((indoor or inside) adj unit) same ((outdoor or outside) adj unit)	US-PGPUB; USPAT	OR	ON	2007/07/23 14:03
S72	23	((@ad<"20011205" or @rlad<"20011205") and ((indoor or inside) adj unit) same (((outdoor or outside) adj unit) with wireless)	US-PGPUB; USPAT	OR	ON	2007/07/23 14:03
S73	0	((@ad<"20011205" or @rlad<"20011205") and ((indoor or inside) adj unit) same (((outdoor or outside) adj unit) with wireless) and digital adj link	US-PGPUB; USPAT	OR	ON	2007/07/23 14:03
S74	5	((@ad<"20011205" or @rlad<"20011205") and ((indoor or inside) adj unit) same (((outdoor or outside) adj unit)) with digital with link	US-PGPUB; USPAT	OR	ON	2007/07/23 14:10
S75	35	((@ad<"20011205" or @rlad<"20011205") and ((indoor or inside) adj unit) same (((outdoor or outside) adj unit)) with digital	US-PGPUB; USPAT	OR	ON	2007/07/23 14:10
S76	30	((@ad<"20011205" or @rlad<"20011205") and ((indoor or inside) adj unit) same (((outdoor or outside) adj unit)) with digital not S74	US-PGPUB; USPAT	OR	ON	2007/07/23 14:10
S77	798	((@ad<"20011205" or @rlad<"20011205") and (((indoor adj unit) or IDU) with ((outdoor adj unit) or ODU))	US-PGPUB; USPAT	OR	ON	2008/01/07 08:28
S78	74	((@ad<"20011205" or @rlad<"20011205") and (((indoor adj unit) or IDU) with ((outdoor adj unit) or ODU)) and (fiber adj optic)	US-PGPUB; USPAT	OR	ON	2008/01/07 08:29
S79	22	((@ad<"20011205" or @rlad<"20011205") and (((indoor adj unit) or IDU) with ((outdoor adj unit) or ODU)) same (fiber adj optic)	US-PGPUB; USPAT	OR	ON	2008/01/07 08:29

6/24/08 1:11:13 PM

C:\Documents and Settings\jmattis\My Documents\EAST\Workspaces\10010935.wsp